

Site and Facility Review Sheet

| Date: | | | |
|--|--|-----------------------|---|
| School Name: | | | |
| Building Address: | | | |
| | | | he school as outlined within Schedule 6 of the charter contract. In no way should to the board will reflect areas that require corrective action. |
| Item | In Compliance Yes/No [Response Required] | Category ¹ | Comment [If an issue/concern is identified – it is to be further explained here.] |
| Section 1. Exterior – Building | | | |
| Outside of building is in good repair (windows, bricks, eaves, soffit, roof, etc.) | | Best Practice | |
| Source: Best Practice. Local/State Codes may apply. | | | |
| Windows properly operate with travel limiters and screens | | Best Practice | |
| Source: Best Practice. Local/State Codes may apply. | | | |
| Section 2. Exterior - Grounds | | | |
| Sign in place, entrance and parking define by purpose (public, staff, delivery) | | Best Practice | |
| Source: Best Practice. Local/State Codes may apply. | | | |
| Visitor expectations defined and protocol for visitor entry in place with restrictions on travel and sign-in required with ID. | | Best Practice | |
| Source: Best Practice. Local/State Codes may apply. | | | |

Critical

Major

¹ Category:

Flag Displayed

❖ CRITICAL = requires immediate action

Source: Revised School Code: MCL 380.1347

Source: Persons with Disabilities Civil Rights Act

Entry to building ADA compliant

- ❖ MAJOR = requires attention within 30-60 days
- ❖ BEST PRACTICE = based upon input from experienced practitioners in the safety industry

| Item | In Compliance Yes/No [Response Required] | Category ¹ | Comment [If an issue/concern is identified – it is to be further explained here.] |
|---|--|-----------------------|---|
| Site free from litter/graffiti | | Best Practice | |
| Source: Best Practice. Local/State Codes may apply. | | | |
| Landscaping maintained (grass/shrubs/trees trimmed, etc.) | | Best Practice | |
| Source: Best Practice. Local/State Codes may apply. | | | |
| Recreation area available. Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Playground area available. Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Fire hydrant(s) on school property accessible Source: NFPA 101-Section 7 | | Major | |
| Perimeter well-defined (fencing, gates, drives, sidewalks, natural surveillance) Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Section 3. Exterior – Parking Areas and Sidewa | lks | | |
| Lightning provided Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Area in good condition and marked Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Area free of litter/obstructions Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Sidewalks clean/safe Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Section 4. Exterior – Garbage and Refuse | | | |
| Refuse containers Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Receptacles closed Source: Best Practice. Local/State Codes may apply. | | Best Practice | |

¹ Category:

[❖] CRITICAL = requires immediate action

[❖] MAJOR = requires attention within 30-60 days

[❖] BEST PRACTICE = based upon input from experienced practitioners in the safety industry

| Item | In Compliance Yes/No [Response Required] | Category ¹ | Comment [If an issue/concern is identified – it is to be further explained here.] |
|---|--|-----------------------|---|
| Receptacles in enclosed area Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Receptacles at least 50-feet from building Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Litter and pest free Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Section 5. Exterior – Ancillary Buildings | | | |
| Ancillary buildings locked Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Ancillary buildings are properly maintained Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Hazardous contents found Source: NFPA 400; NFPA 101-Section 4-2 | | Major | |
| Section 6. Interior – Hallways | | | |
| Entry floor mats utilized Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Hallways free of obstructions Source: NFPA 101 - Section 11-2 | | Critical | |
| Student storage available Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Any restrictions on carrying backpacks, duffel bags or larger purses Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Ceiling integrity intact Source: NFPA 101 – Section 11-3.3 | | Best Practice | |
| Floors maintained properly Source: Best Practice. Local/State Codes may apply. | | Best Practice | |

¹ Category:

[❖] CRITICAL = requires immediate action

[❖] MAJOR = requires attention within 30-60 days

[❖] BEST PRACTICE = based upon input from experienced practitioners in the safety industry

| Item | In Compliance Yes/No [Response Required] | Category ¹ | Comment [If an issue/concern is identified – it is to be further explained here.] |
|--|--|-----------------------|---|
| Walls maintained properly Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Free from graffiti Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Lighting adequate Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Water fountains operable and appear to be appropriate height for students Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Signage provided (i.e., office, classrooms, restrooms, etc.) Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| All non-public spaces equipped with storeroom function lockset Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Fire exits operable (i.e., not chained, locked, or obstructed) Source: NFPA 101 – Section 11-2.2 | | Critical | |
| Exits clearly marked Source: NFPA 101 – Section 11-2.10 | | Major | |
| Emergency signs/lighting provided, operational and tested Source: NFPA 101 – Section 11-2.9 | | Major | |
| Fire extinguishers inspected (annually) and tagged Source: NFPA 10 – Section 7-7.4 | | Major | |
| Electrical panels clear (3-feet in front) and easily accessible Source: NFPA 70; NFPA 101 – Section 7-1 (Unlocked and Unobstructed) | | Major | |

¹ Category:

[❖] CRITICAL = requires immediate action

[❖] MAJOR = requires attention within 30-60 days

[❖] BEST PRACTICE = based upon input from experienced practitioners in the safety industry

| Item | In Compliance Yes/No [Response Required] | Category ¹ | Comment [If an issue/concern is identified – it is to be further explained here.] |
|--|--|-----------------------|---|
| Surveillance camera present Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Staff trained in conducting routine hazard/risk surveys of identified, written list of hazards/risks (i.e., blocked egress windows, propped egress doors, exposed electrical wires) Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Unused/unoccupied areas (unoccupied classrooms) secured | | Best Practice | |
| Source: Best Practice. Local/State Codes may apply. Section 7. Interior – Classrooms | | | |
| Clean and in good state of repair Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Flag displayed in each classroom or other instructional area Source: Public Act 320 of 2011 (MCL 380.1347) | | Major | |
| Opportunity for the Pledge of Allegiance to be recited each school day Source: Public Act 321 of 2011 (MCL 380.1347a) | | Major | |
| Eye wash station present in lab Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Alcohol-based hand rubs available throughout building Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Adequate storage available for classroom materials Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Is the school sprinkled? □Yes □No | | N/A | |

¹ Category:

[❖] CRITICAL = requires immediate action

[❖] MAJOR = requires attention within 30-60 days

[❖] BEST PRACTICE = based upon input from experienced practitioners in the safety industry

| Item | In Compliance Yes/No [Response Required] | Category ¹ | Comment [If an issue/concern is identified – it is to be further explained here.] |
|--|--|-----------------------|---|
| Operational fire alarm Source: NFPA 72 3.390.1.3. | | Critical | |
| Egress unobstructed (doors, windows, hallways) Source: NFPA 101 - Section 15.2.11.1.1 | | Critical | |
| Fire/tornado/lockdown evacuation maps present and properly oriented Source: NFPA 101 – Section 11-7 | | Critical | |
| Fire/tornado/lockdown procedures posted Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Adequate HVAC systems operational Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Fresh air intake above grade or fenced off Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Sidewalks outside of egress doors/window are clear Source: NFPA 101 – Section 11-2.2.7 | | Critical | |
| Section 8. Interior – Restrooms | | | |
| Clean floors Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Wash sinks and lavatory appropriate height for students Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Soap, dyer/towels, waste receptacles and toilet paper Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Walls are free from graffiti Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Proper ventilation is evident Source: Best Practice. Local/State Codes may apply. | | Best Practice | |

¹ Category:

[❖] CRITICAL = requires immediate action

[❖] MAJOR = requires attention within 30-60 days

[❖] BEST PRACTICE = based upon input from experienced practitioners in the safety industry

| Item | In Compliance Yes/No [Response Required] | Category ¹ | Comment [If an issue/concern is identified – it is to be further explained here.] |
|---|--|-----------------------|---|
| Section 9. Interior - Custodial/Maintenance/U | tility Areas | | |
| Floors are clean Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Rooms are free of flammable/hazardous material Source: NFPA 101 - Section 11-3.2 | | Major | |
| Custodial closet equipped with fire suppression or fire extinguisher located in closet or within 75 ft of closet. Source: NFPA 101 – Section 8.7.1.1; Section 15.2.5.3.2 | | Major | |
| Boiler inspection certificate is current Source: DELEG - Boiler Division | | Major | |
| Pipe insulation is encapsulated [if asbestos plan identifies insulation as asbestos, it should be encapsulated per state approved plan] Source: AHERA | | Major | |
| Section 10. Food Service | | | |
| Current health department certificate is posted Source: MI Dept of Agriculture | | Major | |
| Food preparation area is clean Source: MI Dept of Agriculture | | Major | |
| Plastic gloves and hair nets provided Source: MI Dept of Agriculture | | Critical | |
| Hand washing sink is properly equipped (signage included) Source: MI Dept of Agriculture | | Critical | |
| Cleaning materials are stored properly Source: MI Dept of Agriculture | | Major | |

¹ Category:

[❖] CRITICAL = requires immediate action

[❖] MAJOR = requires attention within 30-60 days

[❖] BEST PRACTICE = based upon input from experienced practitioners in the safety industry

| Item | In Compliance Yes/No [Response Required] | Category ¹ | Comment [If an issue/concern is identified – it is to be further explained here.] |
|---|--|-----------------------|---|
| Food storage area is dry, secure, and free from evidence of pests and food is NOT stored on the floor Source: MI Dept of Agriculture | | Critical | |
| Milk is stored properly, and temperature logs are being utilized for the refrigerators as a method to immediately detect if there is a problem with the milk/food temperature. Source: MI Dept of Agriculture | | Major | |
| Section 11. Drinking Water Safety | | | |
| The State [EGLE] recommends the following to ensure healthy drinking water prior to student and staff return: 1. Assess the risk of stagnant water and potential contaminants 2. Thoroughly flush the water system after any extended building closure (i.e., in August, post-pandemic) 3. Refresh drinking and food preparation taps immediately prior to the return of students 4. Replace all filter cartridges and maintain water use appliances/devices 5. Test the water for bacteria, lead, and copper Source: Best Practice. Local/State Codes may apply. | | Best Practice | |
| Section 12. Legal Postings | | | |
| The calendar of regular board meetings is posted and can be read after hours from outside of the school building. Source: MI Open Meetings Act | | Major | |

¹ Category:

[❖] CRITICAL = requires immediate action

[❖] MAJOR = requires attention within 30-60 days

[❖] BEST PRACTICE = based upon input from experienced practitioners in the safety industry

| Item | In Compliance Yes/No [Response Required] | Category ¹ | Comment [If an issue/concern is identified – it is to be further explained here.] |
|---|--|-----------------------|---|
| Effective 01/01/2023: Constitutional and Statutory Texts posted in the following areas and in a manner that is easily accessible by the public: The room or rooms in which the board conducts its meetings; An office in the school administrative building; and The principal's or chief administrator's office at each building Source: Revised School Code [MCL 380.10a] | | Major | REQUIRED LANGUAGE TO BE POSTED: Section 1 of Article VIII of the Michigan Constitution of 1963: Religion, morality and knowledge being necessary to good government and the happiness of mankind, schools and the means of education shall forever be encouraged. Section 10 of the Revised School Code: It is the natural, fundamental right of parents and legal guardians to determine and direct the care, teaching, and education of their children. The public schools of this state serve the needs of the pupils by cooperating with the pupil's parents and legal guardians to develop the pupil's intellectual capabilities and vocational skills in a safe and positive environment *********************************** |
| Suicide Prevention Requirements. Are grades 6-12 offered at this building? Yes No If YES above, does this building utilize student ID cards? Yes No IF YES to grades 6-12 and IF YES to student ID cards, then the law requires that the suicide prevention phone number [Call or text 988] be printed on the student identification cards. Source: Public Act 211 of 2020 [MCL 380.1893] Source: 988 Suicide & Crisis Lifeline and Michigan Crisis & Access Line | | Major | |

¹ Category:

[❖] CRITICAL = requires immediate action

[❖] MAJOR = requires attention within 30-60 days

[❖] BEST PRACTICE = based upon input from experienced practitioners in the safety industry

| Item | In Compliance Yes/No [Response Required] | Category ¹ | Comment [If an issue/concern is identified – it is to be further explained here.] |
|--|--|-----------------------|---|
| Additional Suicide Prevention Posting Guidance All schools that offer grades 6 to 12 are <i>encouraged</i> to display the model information regarding suicide prevention services, suicide, depression, and anxiety on or in any of the following: | | Best Practice | |
| On the school's website homepage; In a conspicuous location in the school counselor's office or the office of any school employee of the school qualified to act in a counseling role as defined under the law; and/or In a conspicuous location in the office of the school principal or chief administrator of the school. | | | |
| Source: Public Act 211 of 2020 [MCL 380.1893] AKA Save our Students Act | | | |
| Current state and federal employee "Right to Know" labor laws posted Source: MIOSHA | | Major | |
| Chemicals, solvents, cleaners, and strippers in properly marked containers Source: MIOSHA | | Major | |
| MSDS available Source: MIOSHA | | Major | |
| Section 13. Management Plans On-Site | | | |
| State-approved AHERA Plan and letter is current and available for review Source: AHERA | | Major | |
| Date of the last three-year reinspection: [mmd/dd/yyyy] Source: AHERA | | Major | |
| Integrated pest-management policy/plan implemented Source: MI Act 451 Part 83; Integrated Pest Management | | Major | |

¹ Category:

[❖] CRITICAL = requires immediate action

[❖] MAJOR = requires attention within 30-60 days

[❖] BEST PRACTICE = based upon input from experienced practitioners in the safety industry

| Item | In Compliance Yes/No [Response Required] | Category ¹ | Comment [If an issue/concern is identified – it is to be further explained here.] |
|---|--|-----------------------|---|
| Emergency Operations Plan (EOP) | | Major | |
| Biennial Review Date (most recent): | | | |
| Name of law enforcement agency: | | | |
| Source : Public Act 436 of 2018 [beginning 2019-2020 and biennially thereafter] | | | |
| Emergency operations plan addresses specific metrics, required efforts, frequency, and implementation | | Major | |
| Source: Section 29.19 | | | |
| Performed (or appears to be on-target to perform) at least 5 fire safety drills, 2 tornado safety drills and 3 lock-down emergency drills in accordance with Public Act 12 of 2014. | | Major | |
| Source: Public Act 12 of 2014 | | | |
| School has identified any risks unique to their location (near railroad tracks, farm fields, etc.) | | Best Practice | |
| Source Best Practice. Local/State Codes may apply; MI Ready Schools Toolkit | | | |
| Emergency operations plan developed for any unique risks or hazards identified | | Best Practice | |
| Source Best Practice. Local/State Codes may apply. | | | |
| Emergency drills have performance metrics | | Best Practice | |
| Source: Best Practice. Local/State Codes may apply. | | | |
| School emergency response team is in place and has been trained [By not having people assigned to certain duties in emergencies could result in chaos and present a safety/liability issue] | | Major | |
| Source: NFPA 101 - Section 11-7.1 | | | |

¹ Category:

[❖] CRITICAL = requires immediate action

[❖] MAJOR = requires attention within 30-60 days

[❖] BEST PRACTICE = based upon input from experienced practitioners in the safety industry

| Item | In Compliance Yes/No [Response Required] | Category ¹ | Comment [If an issue/concern is identified – it is to be further explained here.] |
|---|--|-----------------------|---|
| The school has a completed Drinking Water Plan? Yes No Source: Clean Drinking Water Access Act, 2023 PA 154, and amendments to the Child Care Organizations Act, 1973 PA 116, collectively also known as Filter First (must be completed by 01/24/2025). | | Major | |
| The school has approved filters on all consumptive fixtures? Yes No Source: Clean Drinking Water Access Act, 2023 PA 154, and amendments to the Child Care Organizations Act, 1973 PA 116, collectively also known as Filter First (must be completed by the end of the 2025-2026 school year) | | Major | |
| Fire suppression annual inspection record available in kitchen Source: NFPA 10 – Section 6 | | Major | |
| Section 14. Miscellaneous | | | |
| Grades served at the building comply with legal requirements (i.e., Kindergarten and first grade are not permitted above or below the level of exit discharge and second grade not permitted more than one story above level of discharge) Source: NFPA 101 | | Major | |
| Section 15. Academy-Owned Transportation [if | applicable] | | |
| Academy-operated transportation available Number of vehicles: Number of vehicles inspected: | | N/A | |

¹ Category:

[❖] CRITICAL = requires immediate action

[❖] MAJOR = requires attention within 30-60 days

[❖] BEST PRACTICE = based upon input from experienced practitioners in the safety industry

| Item | In Compliance Yes/No [Response Required] | Category ¹ | Comment [If an issue/concern is identified – it is to be further explained here.] |
|--|--|-----------------------|---|
| Safety inspection performed by Michigan State Police as evidenced by inspection reports and approval Source: MCL 257.1839 | | Major | |
| All bus drivers' licenses on-file (regardless of whether they are employed directly by the school or contracted) Source: MCL 257.1853 | | Major | |
| Fire extinguisher(s) present and certified Source: MCL 257.1825 | | Critical | |
| First aid kit available and properly equipped Source: MCL 257.1825 | | Critical | |
| Additional Notes | | | |
| | | | |
| | | | |
| | | | |
| Signatures | | | |
| | | | |
| Center Reviewer | | | Academy Representative |
| [Print Name]: | | | [Print Name]: |

A copy of this report has been provided to the Academy Representative at the time of the review. Formal correspondence from the Center to the Academy Board will follow within 30-60 days.

¹ Category:

[❖] CRITICAL = requires immediate action

[❖] MAJOR = requires attention within 30-60 days

[❖] BEST PRACTICE = based upon input from experienced practitioners in the safety industry